


Geosynthetic Institute

475 Kedron Avenue
Folsom, PA 19033-1208 USA
TEL (610) 522-8440
FAX (610) 522-8441



Mr. David Beaumier
Groupe CTT SAGEOS
3000 Boule Street
ST-HYACINTHE, Quebec
J2S 1H9
CANADA

July 6, 2021 Revision

Re: GAI-LAP Accreditation

Dear Mr. Beaumier,

The Geosynthetic Institute (GSI) is pleased to acknowledge SAGEOS Groupe CTT Group on its repertoire of Geosynthetic Accreditation Institute's-Laboratory Accreditation Program (GAI-LAP) accredited tests. This letter should serve as notification that SAGEOS/CTT Group located in St-Hyacinthe, Quebec is currently accredited for the following one hundred and eighteen (118) test methods until June 30, 2022.

1. ASTM D570 Test Method for Water Absorption of Plastics
2. ASTM D638 Test Method for Tensile Properties of Plastics
3. ASTM D746 Test Method for Brittleness Temperature of Plastics and Elastomers by Impact
4. ASTM D751 Test Methods for Coated Fabrics (thickness), (mass/unit area), (tongue tear), (grab), (hydrostatic resistance), (bonded seam strength)
5. ASTM D790 Standard Test Method for Flexural Properties of Unreinforced and Reinforced Plastic and Electrical Insulating Materials
6. ASTM D792 Test Method for Specific Gravity (Relative Density) and Density of Plastics by Displacement
7. ASTM D882 Test Methods for Tensile Properties of Thin Plastic Sheeting (strip tensile)
8. ASTM D1004 Test Method for Initial Tear Resistance of Plastic Film and Sheeting
9. ASTM D1203 Test Method for Volatile Loss from Plastic Using Activated Carbon
10. ASTM D1204 Test Method for Linear Dimensional Changes of Nonrigid Thermoplastic Sheeting or Film at Elevated Temperature
11. ASTM D1238 Test Method for Flow Rates of Thermoplastics by Extrusion Plastometer
12. ASTM D1239 Test Method for Resistance of Plastic Films to Extraction by Chemicals
13. ASTM D1388 Test Method for Stiffness of Fabrics
14. ASTM D1593 Specification for Nonrigid Vinyl Chloride Plastic Sheeting (thickness)
15. ASTM D1603 Test Method for Carbon Black in Olefin Plastics
16. ASTM D1621 Test Method for Compressive Properties of Rigid Cellular Plastics
17. ASTM D1693 Test Method for Environmental Stress-Cracking of Ethylene Plastics
18. ASTM D1709 Test Method for Impact Resistance of Plastic Film by Free-Falling Dart Method
19. ASTM D1777 Test Method for Measuring Thickness of Textile Materials
20. ASTM D1790 Test Method for Brittleness Temperature of Plastic Film by Impact
21. ASTM D1922 Standard Test Method for Propagation Tear Resistance of Plastic Film and Thin Sheeting by Pendulum Method

22. ASTM D2136 Test Method for Coated Fabrics-Low Temperature Bend Test
23. ASTM D2240 Test Method for Measuring Durometer Hardness
24. ASTM D2412 Standard Test Method for Determination of External Loading Characteristics of Plastic Pipe by Parallel-Plate Loading
25. ASTM D3015 Standard Practice for Microscopic Examination of Pigment Dispersion in Plastic Compounds
26. ASTM D3083 Standard Specification for Flexible Poly Vinyl Chloride Plastic Sheeting for Pond, Canal, and Reservoir Lining (water extraction) and (bonded seam strength)
27. ASTM D3350 Standard Specification for Polyethylene Plastic Pipe and Fitting Materials
28. ASTM D3776 Test Method for Mass Per Unit Area (Weight) or Woven Fabric
29. ASTM D3786 Test Method for Hydraulic Burst Strength of Knitted Goods and Nonwoven Fabrics (Diaphragm Bursting Strength Tester Method)
30. ASTM D3895 Test Methods for Oxidative-Induction Time of Polyolefins by Differential Scanning Calorimetry
31. ASTM D4218 Test Methods for Carbon Black Content in Polyethylene Compounds by the Muffle-Furnace Technique
32. ASTM D4355 Test Method for Deterioration of Geotextiles from Exposure to Ultraviolet Light and Water (Xenon-Arc Type Apparatus)
33. ASTM D4491 Test Methods for Water Permeability of Geotextiles by Permittivity
34. ASTM D4533 Test Method for Index Trapezoidal Tearing Strength of Geotextiles
35. ASTM D4595 Test Method for Tensile Properties of Geotextiles by the Wide-Width Strip Method
36. ASTM D4716 Test Method for Determining the (In-Plane) Flow Rate per Unit Width and Hydraulic Transmissivity of a Geosynthetic Using a Constant Head
37. ASTM D4751 Test Method for Determining Apparent Opening Size of a Geotextile
38. ASTM D4884 Test Method for Seam Strength of Sewn Geotextiles
39. ASTM D4885 Test Method for Determining Performance Tensile Strength of Geomembranes Using Wide Strip Testing
40. ASTM D5034 Test Method for Breaking Strength and Elongation of Textile Fabrics (Grab Method)
41. ASTM D5035 Test Method for Breaking Strength and Elongation of Textile Fabrics (Strip Method)
42. ASTM D5101 Test Method for Measuring the Soil-Geotextile System Clogging Potential by the Gradient Ratio
43. ASTM D5199 Test Method for Measuring Nominal Thickness of Geotextiles and Geomembranes
44. ASTM D5261 Test Method for Measuring Mass per Unit Area of Geotextiles
45. ASTM D5321 Test Methods for Determining the Coefficient of Soil and Geosynthetic or Geosynthetic and Geosynthetic Friction by the Direct Shear Method
46. ASTM D5322 Standard Practice for Immersion Procedures for Evaluating the Chemical Resistance of Geosynthetics to Liquids
47. ASTM D5323 Test Method to Determine 2% Secant Modulus for Polyethylene Geomembranes
48. ASTM D5397 Test Method for Evaluation of Stress Crack Resistance of Polyolefin Geomembranes using Notched Constant Tension Load Test
49. ASTM D5493 Test Method for the Permittivity of Geotextiles Under Load
50. ASTM D5514 Test Method for Large Scale Hydrostatic Puncture Testing of Geosynthetics
51. ASTM D5596 Test Methods for Microscopic Evaluation of the Dispersion of Carbon Black in Polyolefin Geosynthetics
52. ASTM D5617 Test Methods for Multi-Axial Tension Test for Geosynthetics
53. ASTM D5747 Standard Practice for Tests to Evaluate the Chemical Resistance of Geosynthetics to Liquids
54. ASTM D5721 Standard Practice for Air-Oven Aging of Polyolefin Geomembranes
55. ASTM D5884 Test Method for the Tearing Strength of Internally Reinforced Geomembranes
56. ASTM D5885 Standard Test Method for Oxidative Induction Time of Polyolefin Geosynthetics by High-Pressure Differential Scanning Calorimetry
57. ASTM D5887 Standard Test Method for Measurement of Index Flux Through Saturated Geosynthetic Clay Liner Specimens Using a Flexible Wall Permeameter
58. ASTM D5890 Standard Test Method for Swell Index of Clay Mineral Component of Geosynthetic Clay Liners
59. ASTM D5891 Standard Test Method for Fluid Loss of Clay Component of Geosynthetic Clay Liners

60. ASTM D5993 Test Method for Measuring the Mass Per Unit Area of GCL
61. ASTM D5994 Test Method for Measuring the Core Thickness of Textured Geomembranes
62. ASTM D6140 Test Method to Determine Asphalt Retention of Paving Fabrics Used in Asphalt Paving for Full Width Applications
63. ASTM D6241 Test Method for the Static Puncture Strength of Geotextiles and Geotextile Related Products Using a 50-mm Probe
64. ASTM D6243 Test Method for Determine the Internal and Interface Shear Resistance of Geosynthetic Clay Liners by the Direct Shear Method
65. ASTM D6364 Test Method for Determine the Short-Term Compression Behavior of Geosynthetics
66. ASTM D6392 Test Method for Determining the Integrity of Nonreinforced Geomembrane Seams Produced Using Thermo-Fusion Methods
67. ASTM D6454 Test Method for Determining the Short-Term Compression Behavior of Turf Reinforcement Mats (TRMs)
68. ASTM D6475 Test Method for Measuring Mass Per Unit Area of Erosion Control Blanket
69. ASTM D6496 Test Method for Determining the Average Bonding Peel Strength Between Top and Bottom Layers of Needle-Punched Geosynthetic Clay Liners
70. ASTM D6524 Test Method for Measuring the Resiliency of Turf Reinforcement Mats (TRMs)
71. ASTM D6525 Test Method for Measuring Nominal Thickness of Permanent Erosion Control Products
72. ASTM D6566 Test Method for Measuring Mass per Unit Area of Turf Reinforcement Mats (TRMs)
73. ASTM D6567 Test Method for Measuring Light Penetration of Turf Reinforcement Mat (TRM)
74. ASTM D6574 Test Method for Determining the In-Plane Hydraulic Transmissivity of a Geosynthetic by Radial Flow
75. ASTM D6575 Test Method for Determining Stiffness of Geosynthetics used as Turf Reinforcement Mats (TRMs)
76. ASTM D6637 Test Method for Determining Tensile Properties of Geogrids by the Single or Multi-Rib Tensile Method
77. ASTM D6693 Test Method for Determining Tensile Properties of Nonreinforced Polyethylene and Nonreinforced Flexible Polypropylene Geomembranes
78. ASTM D6766 Test Method for Evaluation of Hydraulic Properties of Geosynthetic Clay Liners Permeated with Potentially Incompatible Liquids
79. ASTM D6768 Test Method for Tensile Strength of Geosynthetic Clay Liners
80. ASTM D6818 Test Method for Ultimate Tensile Properties of Turf Reinforcement Mats
81. ASTM D6992 Test Method for Time-Temperature Superposition Using Stepped Isothermal Method
82. ASTM D7003 Test Method for Strip Tensile Properties of Reinforced Geomembranes
83. ASTM D7004 Test Method for Grab Tensile Properties of Reinforced Geomembranes
84. ASTM D7005 Test Method for Determining the Bond Strength (Ply Adhesion) of Geocomposites
85. ASTM D7056 Standard Test Method for Determining the Tensile Shear Strength of Pre-Fabricated Bituminous Geomembrane Seams
86. ASTM D7179 Test Method for Determining Geonet Breaking Force
87. ASTM D7238 Standard Test Method for Effect of Exposure of Unreinforced Polyolefin Geomembrane Using Fluorescent UV Condensation Apparatus
88. ASTM D7272 Test Method for Determining the Integrity of Seams Used in Joining Geomembranes by Pre-manufactured Taped Methods
89. ASTM D7275 Test Method for Tensile Properties of Bituminous Geomembranes (BGM)
90. ASTM D7361 Standard Test Method for Accelerated Compressive Creep of Geosynthetic Materials Based on Time-Temperature Superposition Using the Stepped Isothermal Method
91. ASTM D7466 Test Method for Measuring the Asperity Height of Textured Geomembrane
92. ASTM D7737 Standard Test Method for Individual Geogrid Junction Strength
93. ASTM D7747 Standard Test Method for Determining Integrity of Seams Produced Using Thermo-Fusion Methods for Reinforced Geomembranes by the Strip Tensile Method
94. ASTM D7748 Test Method for Flexural Rigidity of Geogrids, Geotextiles and Related Products
95. ASTM D7749 Standard Test Method for Determining Integrity of Seams Produced Using Thermo-Fusion Methods for Reinforced Geomembranes by the Grab Method
96. ASTM D8117 Test Method for Oxidative Induction Time by Differential Scanning Calorimetry
97. ASTM E96 Test Method for Water Vapor Transmission of Materials
98. ASTM E794 Test Method for Melting And Crystallization Temperatures By Thermal Analysis

99. ASTM F1249 Test Method for Water Vapor Transmission Rate Through Plastic Film and Sheeting Using a Modulated Infrared Sensor
100. ASTM F2136 Standard Test Method for Notched, Constant Ligament-Stress (NCLS) Test to Determine Slow-Crack-Growth Resistance of HDPE Resins or HDPE Corrugated Pipe
101. ASTM G154 Operating Fluorescent Light Apparatus for UV Exposure of Nonmetallic Materials
102. ASTM G155 Operating Xenon Arc Light Apparatus for Exposure of Nonmetallic Materials
103. ASTM G160 Evaluating Microbial Susceptibility of Nonmetallic Materials by Laboratory Soil Burial
104. FTM STD. No. 101c (method 2065-82), Puncture Resistance and Elongation Test (1/8 in. radius probe)
105. ISO 527 Plastics – Determination of Tensile properties – Part 1 and Part 3
106. ISO 00811 Wettability using Hydrostatic Pressure Test
107. ISO 01133-1 Melt Flow index
108. ISO 01183-1 Density
109. ISO 09863 Determination of Thickness
110. ISO 09864 Determination of Mass Per Unit Area
111. ISO 10319 Wide Width Tensile Test of Geotextiles and Geogrids
112. ISO 11058 Determination of Water Permeability Characteristics Normal to the Plane, Without Load
113. ISO 12236 Determination of Static CBR Puncture Test
114. ISO 12956 Determination of Characteristic Opening Size
115. ISO 12958 Determination of Water Flow Capacity in their Plane
116. ISO 13433 Geotextiles and geotextiles - related products – Dynamic perforation test (cone drop test)
117. ISO 13438 Geotextiles and geotextiles - related products – Screening test method for determining the resistance to oxidation
118. CAN/CGSB-148.1–10 Filtration Opening Size of Geotextiles by Hydrodynamic Sieving

A certificate to this effect has been enclosed, signed and sealed. Any questions regarding your accreditation should be directed to George Koerner at (610) 522-8440. Once again congratulations and thank you for participating in the GAI-LAP.

Best Regards,



George R. Koerner, Ph.D., P.E. & CQA
Director